| 22 | 17,773 |
|--|----------|
| A STATE OF STATE OF | 17.00.00 |
| T. | Special |
| 140 | Marie |
| 1 | 20000 |
| Company of the Compan | The same |
| Succession | Mercel |
| Street Street | 13353 |
| įs | |
| p ge | |
| 100 | |
| ne | 2 |
| en. | |
| jen Su Su | 13,44,12 |
| į. | 1 |

| Entity Name | Entity Attribute Name | Entity Table Column Datatype | Description |
|--|------------------------|------------------------------|--|
| | Resource_ID | NUMBER | Identifier of the owning resource |
| | Time_Value | NUMBER | Time index of the marginal value |
| | Capacity_Value | NUMBER | Unit amount of resource marginal value applies |
| | Marginal_Value | NUMBER | The marginal value |
| | | | |
| Resource | Data_Set_ID | NUMBER | Identifier of the data set associated with the resource |
| | Resource_ID | IDENT | Identifier for the resource |
| | Capacity | NUMBER | Maximum accommodation for the resource |
| | Expected_Use_ Capacity | NUMBER | The probable use of the resource |
| | | | |
| Resource_Bundle | Data_Set_ID | NUMBER | Identifier of the data set associated with this bundle |
| | Resource_Bundle_ID | IDENT | Identifier of the bundle |
| | Unit_Cost | NUMBER | Cost associated with the consumption of a unit of the resource_bundle |
| | | | |
| Resource_ Bundle_to_ Demand Link | Data_Set_ID | NUMBER | Identifier for the data set associated with the resource bundle |
| | Total Demand_ID | NUMBER | Identifier of the total demand |
| | Resource_Bundle_ID | NUMBER | Identifier for the resource bundle |
| | Optimal_Quantity | NUMBER | Profit optimal demand quantity that is served through this resources bundle |
| | Optimal_Price | NUMBER | Price value to be charged for the total demand that maximizes the overall profit |
| | 1 | | |
| Resource_ Demand Function | Data_Set_ID | NUMBER | Identifier of the data set associated with the owning resource |
| | Resource_ID | NUMBER | Identifier of the owning resource |
| | Resource_Demand_ Type | CHAR(3) | Name of the demand classification |
| | Demand Function Type | CHAR(3) | Name of the function |

| Entity Name | Entity Attribute Name | Entity Table Column Datatype | Description |
|--|-----------------------|------------------------------------|---|
| Resource_ Demand_ Function_ Parameter | Data_Set_ID | NUMBER | Identifier of the data set associated with the owning resource |
| | Resource_ID | NUMBER | Identifier of the owning resource |
| | Resource_Demand_ Type | CHAR(3) | Name of the demand classification |
| | Parameter_Name | CHAR(3) | Unique name of the parameter |
| | Parameter_Value | NUMBER | Value for the parameter |
| Resource_ Demand_Time_Pa ttern | Data_Set_ID | NUMBER | Identifier of the data set associated with the owning resource |
| | Resource_ID | NUMBER | Identifier of the owning resource |
| | Resource_Demand_ Type | CHAR(3) | Name of the demand classification |
| | Pattern_Type | CHAR(3) | Name of the pattern classification |
| Resource_ Demand_Time_Pa ttern_Value | Data_Set_ID | NUMBER | Identifier of the data set associated with the owning resource |
| | Resource_ID | NUMBER | Identifier of the owning resource |
| | Resource_Demand_ Type | CHAR(3) | Name of the demand classification |
| | Pattern_Type | CHAR(3) | Name of the pattern classification |
| | Time_Value | CHAR(3) | Index for the value (time based) |
| | Value | NUMBER | Value (e.g., rate) of the resource demand as it occurs relative to the time of the service delivery |
| and the state of t | | | |
| Resource_to_ Bundle_Link | Data_Set_ID | NUMBER | Identifier of the data set associated with the member resource |
| | Resource_ID | NUMBER | Identifier of the member resource |
| | Resource_Bundle_ID | NUMBER | Identifier of the owning bundle |
| | Weight | | Member resource's weight in relationship to other member resources |
| Total_Demand | Data_Set_ID | NUMBER | Identifier of the data set for this total demand |
| | Total_Demand_ID | IDENT | Identifier for the total demand |

| ing | ****** |
|---------------------------|--------|
| W. | |
| | |
| : . : | |
| the state of the state of | |
| The same state | |
| | |
| | |
| 揺 | |
| lan lan | |
| a's: | Me |
| ļ. | : |
| ļ | : |
| and inc: | - |
| in: | : |

| Entity Name operations and the second | Entity Attribute Name | Entity Table Column Datatype | Description |
|--|-----------------------|------------------------------|--|
| | Unit_Revenue | NUMBER | Revenue realized for each unit of the total demand satisfied |
| Total_Demand_Fu | Data_Set_ID | NUMBER | Identifier for the data set associated with the owning total demand |
| | Total_Demand_ID | NUMBER | Identifier for the total demand |
| | Function_Type | CHAR(3) | Name of the function |
| Total_Demand_Fu nction_ Parameter | Data_Set_ID | NUMBER | Identifier of the data set associated through the owning total demand |
| | Total_Demand_ID | NUMBER | Identifier of the owning total demand |
| | Function_Type | CHAR(3) | Name of the function type using this parameter |
| | Parameter_Name | CHAR(3) | Unique name of the parameter |
| | Parameter_Value | NUMBER | Value for the parameter |
| | | | |
| Total_Demand_Ti me_Pattern | Data_Set_ID | NUMBER | Identifier of data set associated through the owning total demand |
| | Total_Demand_ID | NUMBER | Identifier for the owning total demand |
| | Pattern_Type | CHAR(18) | Name of the pattern classification |
| | | | |
| Total_Demand_Ti me_Pattern_ Value | Data_Set_ID | NUMBER | Identifier of data set associated through the owning total demand |
| | Total_Demand_ID | NUMBER | Identifier for the owning total demand |
| | Pattern_Type | CHAR(3) | Name of the pattern classification |
| | Time_Value | NUMBER | Index for the value (time based) |
| | Value | NUMBER | Value (e.g., rate) of the total demand as it occurs relative to the time of the service delivery |

[0062] As would be understood to those of ordinary skill in the art, a database or memory structure can be constructed which includes generic revenue management data model 125. Generic revenue management data model 125 provides many benefits to the field of revenue management. Generic revenue management data model 125 is both industry and algorithm independent, and can thus be used in the optimization of a wide variety of networks. Additionally, because generic revenue management data model 125 is algorithm independent,